

2426 W Antoinette Street – Housing Code Violations:

304.10: Stairways, decks, porches, and balconies - Every exterior stairway, deck, porch and balcony, and all appurtenances attached thereto, shall be maintained, structurally safe and sound, and in good repair, with proper anchorage and capable of supporting the imposed loads.

304.12: Handrails and guards - Every handrail and guard shall be firmly fastened and capable of supporting normally imposed loads and shall be maintained in good condition.

304.13: Window, skylight and door frames - Every window, skylight, and door and frame shall be kept in sound condition, good repair and weather tight.

304.13.1: Glazing - All glazing material shall be maintained free from cracks and holes.

304.2: Protective Treatment - All exterior surfaces, including but not limited to, doors, door and window frames, cornices, porches, trim, balconies, decks and fences shall be maintained in good condition. Exterior wood surfaces, other than decay-resistant woods, shall be protected from the elements and decay by painting or other protective covering or treatment. Peeling, flaking, and chipped paint shall be eliminated and surfaces repainted. All siding and masonry joints as well as those between the building envelop and the perimeter of windows, doors, and skylights shall be maintained weather resistant and water tight. All metal surfaces subject to rust or corrosion shall be coated to inhibit such rust and corrosion and all surfaces with rust or corrosion shall be stabilized and coated to inhibit future rust and corrosion. Oxidation stains shall be removed from exterior surfaces.

304.5: Foundation walls - All foundation walls shall be maintained plumb and free from open cracks and breaks and shall be kept in such condition so as to prevent the entry of rodents and other pests.

304.6: Exterior walls - All exterior walls shall be free from holes, breaks, and loose or rotting materials; and maintained weatherproof and properly surface coated where required to prevent deterioration.


304.7: Roofs and drainage - The roof and flashing shall be sound tight and not have any defects that admit rain. Roof drainage shall be adequate to prevent dampness or deterioration in the walls or interior portion of the structure. Roof drains, gutters and downspout shall be maintained in good repair and free from obstructions. Roof water shall not be discharged in a manner that creates a public nuisance.

304.9: Overhang extensions - All overhang extensions including but not limited to canopies, marquees, signs, metal awnings, fire escapes, standpipes and exhaust ducts

shall be maintained in good repair and properly anchored so as to be kept in sound condition. When required, all exposed surfaces of metal or wood shall be protected from the elements and against decay or rust by periodic application of weather coating materials such as paint or similar surface treatment.









06-20-2025 12:45 PM



06-20-2025 12:46 PM



